

# INDEX

## A

- abbreviations
  - in document, 1-5
- acceptance
  - final, 24-4
  - initial, 24-2
  - maintenance, 24-3
- access
  - advice available, 9-1
  - approval, 9-1
  - conflicts, 9-1
  - direct, 9-1
  - frontage roads, 9-2
  - no curb and gutter, 9-7
  - openings
    - angle, 9-10
    - between, 9-10
  - private, 9-3, 9-4, 9-5
  - public, 9-3, 9-4
  - separation distances, 9-1
  - spacing, 9-4
  - state highways, 9-2
  - unpermitted, 9-12
- access covers, 23-24
  - adjustments, 23-24
  - clearance, 12-1
  - wheel path, 12-1
- access ramps
  - “T”-intersections, 16-4
  - 4-way intersections, 16-4
  - bike paths, 17-6
  - cul-de-sacs, 16-4
  - local streets/mid-block, 16-4
- alignment, horizontal, 7-4, 17-4
- alignment, vertical, 7-10
- alleys
  - spacing, 9-5
- approaches
  - high volume, 9-6
  - low volume, 9-6
  - no curb and gutter, 9-7
  - residential, 9-8
    - frontage, 9-8
    - pedestrian accessible, 9-8
    - sidewalks, 9-8
    - width, 9-8
- Arterials, 7-2
  - access, 9-2, 9-4
- authority
  - document, 1-1
  - enforcement, 1-3
  - Local Entity Engineer, 1-3

## B

- backfill
  - flowable fill, 22-8, 25-4

- Backfill, 22-8
- backfilling
  - potholes, 25-4
  - trench
    - inspection, 23-8
- base, 23-19
- bearing devices, 23-13
- bedrock, 5-2
- bike facilities
  - bike lane. *See* bike lanes
  - bike path. *See* bike paths
  - bike routes, 17-2
  - bridges, 17-7
  - cost, 20-2
  - parking. *See* bike parking
  - underpass, 17-7
- bike lanes
  - intersections, 17-3
  - one-way streets, 17-2
  - rural roads, 17-2
- bike parking
  - racks, 17-8
  - spaces, 17-8
- bike paths
  - alignment, 17-4
  - barriers, 17-6
  - bridges, 17-7
  - clearance
    - obstacles, 17-3
    - overhead, 17-3
    - street, 17-6
  - curves
    - painted centerline, 17-7
  - design speed
    - paved surfaces, 17-4
    - unpaved surfaces, 17-4
  - drainage, 17-5
  - grade, 17-4
  - intersections
    - turning radius, 17-8
  - location criteria, 17-3
  - pedestrians, and, 17-6
  - sight distance, 17-5
  - signs, 17-7
  - substandard curves, 17-5
  - superelevation, 17-5
  - underpass
    - clearance, 17-7
- bike routes, 17-2
- boring. *See* utilities
- bridges
  - bike paths, 17-7
  - definition, 11-2
  - design approaches, 11-1
  - design life, 11-2
  - design standards, 11-1
  - inspection
    - certification, 24-6
    - load rating, 24-6

- pedestrian/bicycle. *See* bridges, pedestrian/bicycle
  - sufficiency rating, 11-2
  - vehicular. *See* bridges, vehicular
  - bridges, pedestrian/bicycle
    - design details, 11-5
    - design loads, 11-4
    - wind, 11-5
  - bridges, vehicular
    - clear width, 11-4
    - design details, 11-3
    - design loads, 11-3
    - median, 11-4
    - sidewalks, 11-4
  - buried structures
    - box culverts, 11-18
    - design life, 11-13
    - design loads, 11-13
    - embankment installation, 11-14
    - pipe spacing, 11-15
    - reinforced concrete pipe, 11-17
    - structural plate, 11-16
    - thermoplastic pipe, 11-19
    - three-sided structures, 11-19
    - tolerable movement, 11-14
  - bus shelters, 16-6, 22-55
  - bicycle racks, 16-7
    - location, 16-6
    - placement, 16-6
    - relocation, 16-7
    - state highways, 16-7
    - trash containers, 16-7
  - bus stops, 7-22
    - passenger loading area, 16-6
- C**
- channelization
    - intent, 8-8
  - classification, streets. *See* individual types of streets and lists in Section 7.3.1
  - clearance
    - bike paths, 17-6
    - parking, 19-3
    - vertical, 7-11
  - clearing and grubbing, 22-2
  - coefficient of friction, 17-5
  - cold weather requirements
    - concrete placement, 22-21
  - Commercial Local, 7-3
  - concrete
    - curing, 22-25
    - finishing, 22-23, 23-12
    - joints, 22-25
    - non-structural, 22-21, 23-13
      - inspection, replacement of work, 23-14
      - inspection, tolerances for repairs, 23-14
      - reconstruction, 25-8
      - removal, 25-7
      - repair, 25-8
    - placement, 23-11
    - repairs, 22-24
    - roadway inspection, 23-19
    - specifications, 23-14
    - structural, 22-11, 22-15, 23-8
      - removal, 25-6
    - testing, 23-16
    - testing frequency, 23-17
  - cost, 20-1
    - contingency, 20-6
  - cross slope, 7-13
    - cul-de-sacs, 7-14
      - maximum, 7-13
      - minimum, 7-13
    - street modifications, 7-14
  - crossspans
    - basic requirements, 7-19
    - dimensions, 7-20
    - minimum grade, 7-20
    - prohibited, 7-20
    - transitions, 7-20
  - cul-de-sacs
    - drainage, 19-2
    - island, 19-2
      - maximum length, 7-16
      - minimum radius, 7-16
    - parking, 7-16, 19-1
    - permitted locations, 7-16
    - secondary access, 7-16
  - curb and gutter
    - Drive-Over, 7-20
    - median islands, 7-21
    - vertical curb, 7-21
  - curb returns
    - grades, 8-5
    - radii, 7-14, 8-4
    - traffic islands, 8-5
  - curves
    - turns, 7-17
  - curves, horizontal, 7-4, 17-4
    - broken back, 7-10
    - compound, 7-4
    - consistent radii, 7-10
    - design speed, 7-14
    - minimum radius, 7-4, 17-5
    - reverse, 7-4
    - small deflection angles, 7-10
    - superelevation, 7-14
    - vertical curves, 7-10
  - curves, superelevation, 7-14
  - curves, vertical, 7-11
    - crest, 7-11
      - crest, minimum length, 7-11
      - sag, 7-11
      - sag, minimum length, 7-11
- D**
- dead-end
    - easements, 7-17
    - permanent, 7-17
    - temporary, 7-17
    - turnarounds, 7-17
  - definitions

- terms in document, 1-5
- demolition, 22-1
- design life
  - bridges, 11-2
  - buried structures, 11-13
- design modifications, 25-1
- design speed, 7-14, 17-4
- Development Construction Permit
  - acceptance, 6-13
  - application, 6-10
  - construction coordination meeting, 6-10
    - attendees, 6-11
    - items required, 6-11
  - expiration, 6-12
  - issuance, 6-12
  - submittals, 6-10
  - warranty, 6-13
- drainage
  - bike paths, 17-5
  - chases. *See* sidewalk culverts
  - crosspans, 7-19
  - cul-de-sacs, 19-2
  - grading, 7-18
  - inlets, 7-21
  - roadside ditches, 7-21
  - subsurface, 5-7
  - waterway crossings, 7-21
- driveways
  - approaches. *See* approaches
  - high volume, 9-6
  - low volume, 9-6
  - multi-family, 9-6
  - profile, 9-7
  - sight distance, 9-7

## E

- earthwork, 22-5
- embankment, 22-3, 22-4
- emergency access, 7-22
  - barricades, 7-22
  - cross slope, 7-22
  - lane width, 7-22
  - roadway surface, 7-22
  - slope, 7-22
  - vertical clearance, 7-22
- erosion control, 22-6
  - cost, 20-1
  - Fort Collins, 22-7
  - Larimer County, 22-7
  - Loveland, 22-7
  - materials, 23-7
- excavation, 22-3, 22-7
  - boring, 22-26
  - structures, 22-10
  - tunneling, 22-26
- eyebrows
  - permitted lengths, 7-17
  - permitted locations, 7-16
  - spacing, 7-17, 9-5

## F

- fees
  - inspection, 23-25
  - developer responsibility, 23-25
- Fees
  - permit, 6-20
- flexible pavement design, 10-8
- flowable fill, 22-8, 25-4, 25-6

## G

- grade
  - centerline, 7-11
  - continuance, 7-11
  - flowline, 7-11
  - flowline, minimum, 7-11
  - intersection
    - bike paths, 17-6
    - maximum, 7-10
    - minimum, 7-10
    - verification of gutter flowline, 23-16
- grade break, maximum, 7-11
- grading, 22-5
  - off-site fill, 7-18
  - slopes, 7-18
- guard rails. *See* roadside barriers

## H

- haul routes, 25-3
- horizontal alignment. *See* alignment, horizontal
- horizontal curves. *See* curves, horizontal

## I

- inspection, 23-1
  - bridges
    - certification, 24-6
    - load rating, 24-6
  - developer responsibility, 23-1
  - fees. *See* fees
  - final, 24-4
  - geotechnical engineer, 23-2
  - mix designs, 23-3
  - non-approved material, 23-2
  - procedures, 23-1
  - test reports, 23-3
  - testing, 23-1
  - timber, 23-13
- intersection design
  - acceleration/deceleration, 8-3
  - alignment, 8-1
  - angle of intersection, 8-1
  - bike lanes. *See* bike lanes
  - channelization. *See* channelization
  - curb returns. *See* curb returns
  - design vehicles, 8-3
  - lane alignment, 8-1
  - left turn lanes. *See* left turn lanes
  - location, 8-1
  - pavement requirements, 8-9

- right turn lanes. *See* right turn lanes
- Right-of-Way, 8-7
- roadway narrowing, 8-8
- sight distance, 8-7
- traffic islands, 8-5
- turning radius
  - single unit truck, 8-4
- intersections
  - bike paths, 17-8
  - design criteria. *See* intersection design
  - driveways, 9-10
  - parking, 19-3
  - pedestrian requirements, 8-9
  - spacing, 9-5
- island
  - cul-de-sacs, 19-2

## J

- join existing improvements, 7-10, 7-11

## L

- layout requirements, 7-1
  - connectivity, 7-1
- left turn lanes
  - design criteria, 8-2
  - warrants, 8-2
- licensing
  - bonding, 6-9
  - categories, 6-9
  - contractor, 6-9
  - insurance, 6-9
- Local, 7-2
- Local Entities, 1-1

## M

- Major Collectors, 7-2
- manholes. *See* access covers, *See* access covers
- marking. *See* pavement marking and striping
- Master Street Plan, 7-2
- material
  - borrow, 22-5
- materials, 22-1
  - approval, 23-5
  - blotter, 25-13
  - disposal of waste, 22-1
  - embankment, 22-3, 22-4
  - excavation, 22-3
  - prime coat, 25-13
  - removal, 22-1
  - reporting, 23-3
  - structural
    - concrete, 22-11
    - reinforcement steel, 22-12
    - steel, 22-11
    - timber, 22-12
  - tack coat, 25-13
  - testing, 23-3
- medians
  - curb and gutter, 7-15

- drainage, 7-15
  - general requirements, 7-15
  - nose, 7-15
  - objects, 7-16
  - paving, 7-15
  - transitions, 7-16
- Minor Collectors, 7-2

## N

- neighborhood traffic safety, 18-1
  - traffic calming, 7-2, *See* traffic calming

## O

- off-site street improvements. *See* street improvements
- on-site street improvements. *See* street improvements
- oversized load permit
  - buildings, 6-17
  - hazardous materials, 6-18
  - vehicles, 6-17

## P

- parking
  - bike, 17-8
  - clearance
    - driveway, 19-3
    - intersection, 19-3
  - cul-de-sacs, 19-1
  - handicapped, 19-2
  - non-parallel, 19-1
  - off-street, 19-2
  - on-street, 19-1
  - parallel, 19-1
- patching
  - concrete, 25-11
  - infrared, 25-18
  - permanent, 25-9, 25-11, 25-16
  - series, 25-9
  - temporary, 25-8, 25-16
  - thickness, 25-10
  - widths, 25-9
  - within existing patches, 25-9
- pavement, 22-27
  - base, 22-34
  - bedrock, 5-2
  - bituminous
    - removal, 25-13
  - concrete, 22-35
    - removal, 25-11
  - evaluation, 25-10
  - hot bituminous, 22-39
  - joins, 25-12
  - overlays, 25-18
  - reconstruction, 25-20
  - rideability, 25-23
  - subbase, 22-33
  - subgrade, 22-27
  - Superpave. *See* Superpave

- pavement design, 10-1
    - report, 10-11
    - soil investigation requirements
      - soil borings. *See* soil borings
    - testing, 10-4
      - classification, 10-4
      - Hveem Stabilometer, 10-5
      - subgrade support, 10-5
      - swell, 10-5
    - thickness. *See* pavement thickness design
  - pavement marking and striping, 14-9
  - marking, 14-10
    - bikeways, 14-11
    - crosswalks, 14-10
    - roundabouts, 14-11
    - stop bars, 14-10
    - symbols, 14-10
    - thermoplastic, 14-10
  - striping, 14-11
    - bikeway, 14-12
    - broken line, 14-11
    - centerline, 14-12
    - parking, 14-12
    - temporary, 14-12
    - turn bay line, 14-12
  - pavement structure
    - base, 10-8
    - subbase, 10-8
    - surface, 10-8
  - pavement thickness design
    - design factors
      - concrete working stress, 10-6
      - Equivalent Daily Load Applications (EDLA), 10-6
      - section, 10-6
      - serviceability, 10-6
      - strength coefficients, 10-6
    - special considerations
      - full depth sections, 10-7
      - rehabilitating existing asphalt streets, 10-7
  - pedestrian facilities, 16-1
    - access ramps. *See* access ramps
    - bus shelters. *See* bus shelters
    - cost, 20-2
    - crossings, 16-5
    - curb returns, 16-4
    - minimum clear path, 16-6
    - multi-use paths, 16-5
    - refuge areas, 16-5
    - sidewalks. *See* sidewalks
    - underwalk drains. *See* sidewalk culverts
  - permit
    - fees, 6-20
  - permit expiration, 6-13
  - permits
    - access, 9-1
    - approval, 6-3
    - blasting, 6-2, 6-19
    - easements, 6-3
    - encroachment, 6-1
    - grading, excavating and fill, 6-2
    - hazardous materials, 6-1
    - house numbers on curbs, 6-1, 6-18
    - inspection requests, 6-6
    - issuance, 6-3
    - oversized load, 6-1
    - oversized load permit. *See* oversized load permit
    - patches, 6-6
    - protecting existing improvements, 6-5
    - revocable encroachment permit. *See* revocable encroachment permit
    - Right-of-Way. *See* Right-of-Way permit
    - special transport permit. *See* special transport permit
    - state and federal, 6-2
    - stockpiling, 6-2
    - traffic control plans, 6-4
    - work in Right-of-Way, 6-1
  - pipe spacing, 11-15
  - Plan set
    - cover sheet, 3-4
    - cross-sections, 3-8
    - Designer statement, 3-3
    - expiration, 3-2
    - general formatting, 3-2
    - incomplete, 3-3
    - key map, 3-9
    - landscape plan, 3-10
    - Plan view, 3-6
    - Private Improvements, 3-4
    - profile, 3-7
    - required information, 3-2
    - Right-of-Way grading and erosion control, 3-5
    - stamped, 3-3
    - street improvements sheets, 3-6
    - traffic signing and pavement markings, 3-9
  - plans
    - design
      - modifications, 25-1
    - permit process, 6-3
    - record, 24-5
  - potholes
    - backfilling, 25-4
  - private improvements
    - maintenance, 1-27
  - Public Improvement Construction Plans, 3-1
    - mylars, 3-1
    - Plan set, 3-1
    - vertical datum, 3-1
- ## R
- railings, 11-6
    - bicycle, 11-10
    - bridge, 11-6
    - combination, 11-10
    - pedestrian, 11-9
    - roadside barriers. *See* roadside barriers
  - record plans. *See* plans
  - reimbursement policy, 1-20
  - Removal, 22-1
  - removals

- clearing and grubbing, 22-2
- retaining walls and abutments, 11-10
  - anchored, 11-12
  - conventional, 11-11
  - design life, 11-11
  - Mechanically Stabilized Earth Walls (MSEW), 11-12
  - placement, 11-13
  - prefabricated modular, 11-12
- revisions to Standards, 1-4
  - policy, 1-4
  - technical, 1-4
- revocable encroachment permit
  - approval, expiration, renewal, 6-16
  - long term, 6-16
  - requirements, 6-16
  - short term, 6-16
- right turn lanes
  - design criteria, 8-3
  - warrants, 8-3
- Right-of-Way permit, 6-1
  - access, 6-14
  - application, 6-15
  - approval, expiration, 6-16
  - excavation, 6-14
  - storage, 6-14
  - submittal requirements, 6-15
  - uses, 6-14
- rigid pavement design, 10-10
- roadside barriers, 11-8
- roadside ditches
  - maintenance, 7-21
  - slope, 7-21

## S

- security requirements
  - insurance, 6-8
  - surety, 6-8
- shop drawings, 22-12
- sidewalk culverts, 7-19
- sidewalks, 7-20
  - ADA requirements, 16-3
  - both sides of street, 16-1
  - concrete thickness, 16-2
  - crossing driveways and alleys, 16-1
  - horizontal clearance, 16-3
  - horizontal/vertical curves, 16-3
  - overpasses, 16-3
  - slope, 16-2
  - underpasses, 16-3
  - vertical clearance, 16-3
- sight distance
  - corner, 7-12
  - driveways, 9-7
  - easements, 7-13
  - intersection, 8-7, 9-7
  - obstructions, 7-13
  - passing, 7-12
  - stopping, 7-11, 7-12
  - triangles, 7-13
- signing. *See* traffic signing

- soil
  - stabilization, 22-28
    - fly ash, 22-30
    - lime, 22-28
  - sterilization, 22-35
- soil borings
  - depth, 10-4
  - frequency, 10-3
  - timing, 10-2
- soil stabilization
  - fly ash, 23-19
  - lime, 23-18
- soil testing, 23-7
- special transport permit
  - axle configuration, 6-18
  - insurance, 6-18
  - routing map, 6-18
  - utility notification, 6-18
- state highways
  - access, 9-2
- stationing, 3-6
- steel
  - structural, 22-11, 22-20
- stop work order
  - mix out of tolerance, 22-48
- stop work orders, 6-7
  - finest, 6-7
  - mitigation expenses, 6-7
- street construction
  - responsibility, 1-17
- street improvements
  - cost, 20-1
  - off-site, 1-18
  - on-site, 1-18
  - transitions, 1-18
- street lighting
  - cost, 20-3
- street over-sizing
  - policy, 1-17
- streets
  - master plans, 7-1
- streetscape standards, 22-55
- striping. *See* pavement marking and striping
- structural concrete, 22-11, 22-15
- structural steel, 22-11, 22-20
- structures, 22-10
  - bridges. *See* bridges
  - buried. *See* buried structures
  - concrete, 23-11
  - cost, 20-2
  - demolition, 22-1
  - design approaches, 11-1
  - design life, 11-2
  - design standards, 11-1
  - inspection, 23-8
    - forms and false work, 23-9
    - reinforcing steel, 23-9
    - specialty, 23-9
  - markings, 22-11
  - materials
    - concrete, 23-8
  - removal, 22-10, 25-6

- retaining walls and abutments. See retaining walls and abutments
- Structures
  - Removal, 22-1
- subdrains
  - private, 7-18
  - public, 7-18
- subgrade, 23-18
  - approval, 23-18
  - fly ash, 23-19
  - preparation, 23-18
  - protection, 22-28
- submittal and review procedures, 2-1
  - Fort Collins, 2-5
  - Larimer County, 2-7
  - Loveland, 2-5
- superelevation
  - bike paths, 17-5
  - where permitted, 7-14
- Superpave
  - mix design, 22-41
  - testing, 23-21
- surety, 6-13
- survey markers, 25-2

## T

- tangent length, minimum, 7-4
- testing
  - concrete, 23-10
  - frequency, 23-11
  - structural steel, 23-13
- TIS. See Transportation Impact Study
- TMP. See Transportation Master Plan
- traffic calming, 7-2
  - design criteria, 18-2
- traffic control devices
  - cost, 20-3
  - pavement marking and striping. See pavement marking and striping
  - signal design requirements, 14-1
  - signing. See traffic signing
- traffic control plan, 6-15
- traffic safety problems
  - intrusion (cut-through traffic), 18-2
  - measuring speed of roadway, 18-2
  - pedestrian safety, 18-2
  - speeding, 18-1
- traffic signals
  - cost, 20-3
- traffic signing, 14-3
  - cost, 20-3
  - intersections
    - stop signs, 14-6
    - street name sign, 14-5
    - warning signs, 14-6
  - new roadway, 14-4
  - reflectivity, 14-5
  - roundabouts, 14-8
  - traffic control
    - guide, 14-8
    - regulatory, 14-7

- warning, 14-7
- type and location, 14-3
- traffic striping
  - cost, 20-3
- traffic volumes
  - background traffic, 4-17
  - existing, 4-16
  - projected traffic, 4-18
- transitions, 7-10
- Transportation Impact Study, 4-1
  - analysis horizons, 4-10
  - applicant responsibility, 4-1
  - impact assessment, 4-22
  - levels of analysis, 4-7
    - full TIS, 4-14
    - intermediate TIS, 4-15
    - traffic memorandum, 4-15
  - limits of study area, 4-11
  - process, 4-28
  - scoping meeting, 4-6
  - study criteria, 4-13
  - study parameters, 4-10
  - types of study, 4-7
- Transportation Master Plan, 7-2
- trees and large shrubs
  - buried utilities, 12-2
  - overhead utilities, 12-1, 12-2
- trench
  - backfill, 22-8
  - cover, 22-9
  - excavation, 22-7
- trenches, 25-21
- trenching, 22-7
  - bedding, 23-8
  - excavation, 23-8
  - inspection, 23-8
- turns. See curves

## U

- underpass
  - bike paths. See bike paths
  - lighting, 17-7
- utilities, 12-1
  - coordination, 1-28
  - design standards, 12-1
    - access covers. See access covers
    - minimum depth, 12-1
  - installing
    - boring, 25-5
    - open cut, 25-6
  - location criteria. See utility location
  - trees and large shrubs. See trees and large shrubs
- utility location
  - cable TV/telephone, 12-4
  - natural gas, 12-4
  - power, 12-4
  - sanitary sewer, 12-3
  - storm sewer, 12-3
  - subdrains, 12-5
  - water, 12-3

## V

valve boxes. *See* access covers, *See* access covers  
variances  
    appeals, 1-25  
vertical alignment. *See* alignment, vertical  
vertical curves. *See* curves, vertical

## W

warranty, 22-26, 23-3  
    definition, 24-3  
water/cement ratio, 22-22  
work day hours, 1-27